Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2005 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Agricultural watersheds
Calibration and Validation of Soil and Water Assessment Tool on an Agricultural Watershed in Upstate New York. — Jennifer Benaman, Christine A. Shoemaker, and Douglas A. Haith; 10(5), 363-74 (2005).

Air temperature
Time-Space Trend Analysis in Pan Evaporation over Kingdom of Thailand. — Taichi Tebakari, Junichi Yoshitani, and Chanchai Suvanpimol; 10(3), 205-15 (2005).
Modified Temperature Index Method Using Near-Surface Soil and Air Temperatures for Modeling Snowmelt in the Canadian Prairies. — Purushottam Raj Singh, Thian Yew Gan, and Adam Kenea Gobena; 10(5), 405-19 (2005).

Algorithms
Comparison of Several Flood Forecasting Models in Yangtze River. — K. W. Chau, C. L. Wu, and Y. S. Li; 10(6), 485-91 (2005).

Analytical techniques
Plot Erosion Model Using Gray Relational Analysis Method. — Q. Q. Liu, V. P. Singh, and H. Xiang; 10(4), 288-94 (2005).

Aquifers
Recession Analysis of Drought Flow Using Hele Shaw Model. — Kazumasa Mizumura; 10(2), 125-32 (2005).
Type Curves for Unsteady Flow to a Large-Diameter Well in Patchy Aquifers. — Mesut Çimen; 10(3), 200-4 (2005).
Flow to Vertical and Nonvertical Wells in Leaky Aquifers. — Bruce Hunt; 10(6), 477-84 (2005).
Saturated-Unsaturated 3D Groundwater Model. I: Development. — Ahmet Dogan and Louis H. Motz; 10(6), 492-504 (2005).
Saturated-Unsaturated 3D Groundwater Model. II: Verification and Application. — Ahmet Dogan and Louis H. Motz; 10(6), 505-15 (2005).
Calculation of Groundwater Integral. — Bruce Hunt; 10(6), 516-8 (2005).

Argentina
Prediction of Extreme Events in Hydrologic Processes that Exhibit Abrupt Shifting Patterns. — Oli G. B. Sveinsson, Jose D. Salas, and Duane C. Boes; 10(4), 315-26 (2005).

Artificial intelligence
Artificial Neural Networks for Forecasting Watershed Runoff and Stream Flows. — Jy S. Wu, Jun Han, Shastri Annambhotla, and Scott Bryant; 10(3), 216-22 (2005).
Application of Generalized Regression Neural Networks to Intermittent Flow Forecasting and Estimation. — Hikmet Kerem Cigizoglu; 10(4), 336-41 (2005).

Auto-regressive moving-average model
Nonlinear Modeling of El Nino/Southern Oscillation Index. — J. H. Ahn and H. S. Kim; 10(1), 8-15 (2005).

Base flow
Effect of Flow Proportions on HSPF Model Calibration Accuracy. — Angélica L. Gutiérrez-Magness and Richard H. McCuen; 10(5), 343-52 (2005).

Bathymetry
Geospatial Representation of River Channels. — Venkatesh M. Merwade, David R. Maidment, and Ben R. Hodges; 10(3), 243-51 (2005).

Best management practice
Watershed-Scale Evaluation of a System of Storm Water Detention Basins. — Clay H. Emerson, Claire Welty, and Robert G. Traver; 10(3), 237-42 (2005).

Boundary values
Steady-State Water-Table Depressions Caused by Evaporation in Lands Overlying a Water-Bearing Substratum. — A. R. Kacimov and E. G. Youngs; 10(4), 295-301 (2005).

Calibration
Effect of Flow Proportions on HSPF Model Calibration Accuracy. — Angélica L. Gutiérrez-Magness and Richard H. McCuen; 10(5), 343-52 (2005).
Calibration and Validation of Soil and Water Assessment Tool on an Agricultural Watershed in Upstate New York. — Jennifer Benaman, Christine A. Shoemaker, and Douglas A. Haith; 10(5), 363-74 (2005).

Canada
Modified Temperature Index Method Using Near-Surface Soil and Air Temperatures for Modeling Snowmelt in the Canadian Prairies. — Purushottam Raj Singh, Thian Yew Gan, and Adam Kenea Gobena; 10(5), 405-19 (2005).

Catchments
Hybrid Model for Derivation of Synthetic Unit Hydrograph. — P. K. Bhunya, N. C. Ghosh, S. K. Mishra, C. S. P. Ojha, and Ronny Berndtsson; 10(6), 458-67 (2005).

Channel flow
Analyses of Flow Mechanism Based on Master Recession Curves. — Kazumasa Mizumura; 10(6), 468-76 (2005).

China
Comparison of Several Flood Forecasting Models in Yangtze River. — K. W. Chau, C. L. Wu, and Y. S. Li; 10(6), 485-91 (2005).

Climatic changes
Incorporation of Climate Change in Water Availability Modeling. — Ralph A. Wurbs, Ranjan S. Muttiah, and Fabrice Felden; 10(5), 375-85 (2005).

Climatic data
Areal Reduction Factors for Two Eastern United States Regions with High Rain-Gauge Density. — Robert J. Allen and Arthur T. DeGaetano; 10(4), 327-35 (2005).

Computation
Extension of Hantush and Boulton Solutions. — Bruce Hunt and David Scott; 10(3), 223-36 (2005).
Calculation of Groundwater Integral. — Bruce Hunt; 10(6), 516-8 (2005).

Computer models
Incorporation of Climate Change in Water Availability Modeling. — Ralph A. Wurbs, Ranjan S. Muttiah, and Fabrice Felden; 10(5), 375-85 (2005).

Conformal mapping
Steady-State Water-Table Depressions Caused by Evaporation in Lands Overlying a Water-Bearing Substratum. — A. R. Kacimov and E. G. Youngs; 10(4), 295-301 (2005).

Contamination
Remediation System Design with Multiple Uncertain Parameters Using Fuzzy Sets and Genetic Algorithm. — Jiabao Guan and Mustafa M. Aral; 10(5), 386-94 (2005).

Dam safety
Bivariate Statistical Approach to Check Adequacy of Dam Spillway. — C. De Michele, G. Salvadori, M. Canossi, A. Petaccia, and R. Rosso; 10(1), 50-7 (2005).

Data analysis
Plot Erosion Model Using Gray Relational Analysis Method. — Q. Q. Liu, V. P. Singh, and H. Xiang; 10(4), 288-94 (2005).

Decision making
Assessment of a Probabilistic Scheme for Flood Prediction. — Faisal Hossain and Emmanouil N. Anagnostou; 10(2), 141-50 (2005).

Delaware
Effect of Flow Proportions on HSPF Model Calibration Accuracy. — Angélica L. Gutiérrez-Magness and Richard H. McCuen; 10(5), 343-52 (2005).

Detention basins
Watershed-Scale Evaluation of a System of Storm Water Detention Basins. — Clay H. Emerson, Claire Welty, and Robert G. Traver; 10(3), 237-42 (2005).

Drainage
Flow to Vertical and Nonvertical Wells in Leaky Aquifers. — Bruce Hunt; 10(6), 477-84 (2005).

Droughts
Recession Analysis of Drought Flow Using Hele Shaw Model. — Kazumasa Mizumura; 10(2), 125-32 (2005).

Correlations and Crossing Rates of Periodic-Stochastic Hydrologic Processes. — Jose D. Salas, Chen-hua Chung, and Antonino Cancelliere; 10(4), 278-87 (2005).

Erosion

Plot Erosion Model Using Gray Relational Analysis Method. — Q. Q. Liu, V. P. Singh, and H. Xiang; 10(4), 288-94 (2005).

Evaporation

Time-Space Trend Analysis in Pan Evaporation over Kingdom of Thailand. — Taichi Tebakari, Junichi Yoshitani, and Chanchai Suvanpimol; 10(3), 205-15 (2005).

Steady-State Water-Table Depressions Caused by Evaporation in Lands Overlying a Water-Bearing Substratum. — A. R. Kacimov and E. G. Youngs; 10(4), 295-301 (2005).

Experimental data

Comparison of Kinematic-Wave and Nonlinear Reservoir Routing of Urban Watershed Runoff. — Yiying Xiong and Charles S. Melching; 10(1), 39-49 (2005).

Finite element method

A Dirac-δ Function Notation for Source/Sink Terms in Groundwater Flow. — Orhan Gunduz and Mustafa M. Aral; 10(5), 420-7 (2005).

Flood control

Unit Response Approach for Priority Determination of Flood Source Areas. — Bahram Saghafian and Mohammad Khosroshahi; 10(4), 270-7 (2005).

Flood damage

Frequency Analysis of Flood Damage. — L. Zhang and Vijay P. Singh; 10(2), 100-9 (2005).

Flood frequency

Regional Flood Frequency Analysis Using L-Moments for North Brahmaputra Region of India. — Rakesh Kumar and Chandranath Chatterjee; 10(1), 1-7 (2005).

Flood hydrology

Case Study: Watershed Modeling with Distributed Weather Model Data. — Nicholas Kouwen, Maurice Danard, Allyson Bingeman, Wuben Luo, Frank R. Seglenieks, and Eric D. Soulis; 10(1), 23-38 (2005).

Factors Affecting Estimates of Average Watershed Slope. — A. Jason Hill and Vincent S. Neary; 10(2), 133-40 (2005).

Flood peaks

Unit Response Approach for Priority Determination of Flood Source Areas. — Bahram Saghafian and Mohammad Khosroshahi; 10(4), 270-7 (2005).

Flood routing

Comparison of Kinematic-Wave and Nonlinear Reservoir Routing of Urban Watershed Runoff. — Yiying Xiong and Charles S. Melching; 10(1), 39-49 (2005).

Floods

Assessment of a Probabilistic Scheme for Flood Prediction. — Faisal Hossain and Emmanouil N. Anagnostou; 10(2), 141-50 (2005).

Comparison of Several Flood Forecasting Models in Yangtze River. — K. W. Chau, C. L. Wu, and Y. S. Li; 10(6), 485-91 (2005).

Flow distribution

Case Study: Watershed Modeling with Distributed Weather Model Data. — Nicholas Kouwen, Maurice Danard, Allyson Bingeman, Wuben Luo, Frank R. Seglenieks, and Eric D. Soulis; 10(1), 23-38 (2005).

Distributed-Parameter Large Basin Runoff Model. I: Model Development. — Thomas E. Croley, II, and Chansheng He; 10(3), 173-81 (2005).

Flow measurement

Relating Local Stage and Remote Discharge with Significant Lateral Inflow. — Tommaso Moramarco, Silvia Barbetta, Florisa Melone, and Vijay P. Singh; 10(1), 58-69 (2005).

Forecasting

Periodic Transfer Function-Noise Model for Forecasting. — M. Shahjahan Mondal and Saleh A. Wasimi; 10(5), 353-62 (2005).

Comparison of Several Flood Forecasting Models in Yangtze River. — K. W. Chau, C. L. Wu, and Y. S. Li; 10(6), 485-91 (2005).

Fractures

Spatial Moment Analysis for Transport of Nonreactive Solutes in Fracture-Matrix System. — G. Suresh Kumar and M. Sekhar; 10(3), 192-9 (2005).

Frequency analysis

Regional Flood Frequency Analysis Using L-Moments for North Brahmaputra Region of India. — Rakesh Kumar and Chandranath Chatterjee; 10(1), 1-7 (2005).

Frequency Analysis of Flood Damage. — L. Zhang and Vijay P. Singh; 10(2), 100-9 (2005).

Fuzzy sets

Fuzzy Neural Network Model for Hydrologic Flow Routing. — Paresh Deka and V. Chandramouli; 10(4), 302-14 (2005).

Remediation System Design with Multiple Uncertain Parameters Using Fuzzy Sets and Genetic Algorithm. — Jiabao Guan and Mustafa M. Aral; 10(5), 386-94 (2005).

Comparison of Several Flood Forecasting Models in Yangtze River. — K. W. Chau, C. L. Wu, and Y. S. Li; 10(6), 485-91 (2005).

Geographic information systems

Factors Affecting Estimates of Average Watershed Slope. — A. Jason Hill and Vincent S. Neary; 10(2), 133-40 (2005).

Watershed-Scale Evaluation of a System of Storm Water Detention Basins. — Clay H. Emerson, Claire Welty, and Robert G. Traver; 10(3), 237-42 (2005).

Geospatial Representation of River Channels. — Venkatesh M. Merwade, David R. Maidment, and Ben R. Hodges; 10(3), 243-51 (2005).

Unit Response Approach for Priority Determination of Flood Source Areas. — Bahram Saghafian and Mohammad Khosroshahi; 10(4), 270-7 (2005).

Ground water

Remediation System Design with Multiple Uncertain Parameters Using Fuzzy Sets and Genetic Algorithm. — Jiabao Guan and Mustafa M. Aral; 10(5), 386-94 (2005).

Saturated-Unsaturated 3D Groundwater Model. I: Development. — Ahmet Dogan and Louis H. Motz; 10(6), 492-504 (2005).

Saturated-Unsaturated 3D Groundwater Model. II: Verification and Application. — Ahmet Dogan and Louis H. Motz; 10(6), 505-15 (2005).

Ground-water flow

Bank-Storage Problem and the Dupuit Approximation. — Bruce Hunt; 10(2), 118-24 (2005).

Type Curves for Unsteady Flow to a Large-Diameter Well in Patchy Aquifers. — Mesut Çimen; 10(3), 200-4 (2005).

Extension of Hantush and Boulton Solutions. — Bruce Hunt and David Scott; 10(3), 223-36 (2005).

A Dirac-δ Function Notation for Source/Sink Terms in Groundwater Flow. — Orhan Gunduz and Mustafa M. Aral; 10(5), 420-7 (2005).

Flow to Vertical and Nonvertical Wells in Leaky Aquifers. — Bruce Hunt; 10(6), 477-84 (2005).

Saturated-Unsaturated 3D Groundwater Model. I: Development. — Ahmet Dogan and Louis H. Motz; 10(6), 492-504 (2005).

Saturated-Unsaturated 3D Groundwater Model. II: Verification and Application. — Ahmet Dogan and Louis H. Motz; 10(6), 505-15 (2005).

Calculation of Groundwater Integral. — Bruce Hunt; 10(6), 516-8 (2005).

History

Short Duration Rainfall Frequency Analysis in Michigan Using Scale-Invariance Assumptions. — Laura A. Gerold and David W. Watkins, Jr.; 10(6), 450-7 (2005).

Hybrid methods

Hybrid Model for Derivation of Synthetic Unit Hydrograph. — P. K. Bhunya, N. C. Ghosh, S. K. Mishra, C. S. P. Ojha, and Ronny Berndtsson; 10(6), 458-67 (2005).

Hydraulic conductivity

Upscaling of Vertical Unsaturated Flow Model under Infiltration Condition. — Sangdan Kim, M. Levent Kavvas, and Jaeyoung Yoon; 10(2), 151-9 (2005).

Root-Water Uptake Model at Heterogeneous Soil Fields. — Sangdan Kim, M. Levent Kavvas, and ZhiQiang Chen; 10(2), 160-7 (2005).

Hydraulic models

Geospatial Representation of River Channels. — Venkatesh M. Merwade, David R. Maidment, and Ben R. Hodges; 10(3), 243-51 (2005).

Hydrographs

Comparison of Kinematic-Wave and Nonlinear Reservoir Routing of Urban Watershed Runoff. — Yiying Xiong and Charles S. Melching; 10(1), 39-49 (2005).

Bivariate Statistical Approach to Check Adequacy of Dam Spillway. — C. De Michele, G. Salvadori, M. Canossi, A. Petaccia, and R. Rosso; 10(1), 50-7 (2005).

Relating Local Stage and Remote Discharge with Significant Lateral Inflow. — Tommaso Moramarco, Silvia Barbetta, Florisa Melone, and Vijay P. Singh; 10(1), 58-69 (2005).

Effect of Flow Proportions on HSPF Model Calibration Accuracy. — Angélica L. Gutiérrez-Magness and Richard H. McCuen; 10(5), 343-52 (2005).

Hybrid Model for Derivation of Synthetic Unit Hydrograph. — P. K. Bhunya, N. C. Ghosh, S. K. Mishra, C. S. P. Ojha, and Ronny Berndtsson; 10(6), 458-67 (2005).

Hydrologic aspects
Prediction of Extreme Events in Hydrologic Processes that Exhibit Abrupt Shifting Patterns. — Oli G. B. Sveinsson, Jose D. Salas, and Duane C. Boes; 10(4), 315-26 (2005).

Hydrologic data
Time-Space Trend Analysis in Pan Evaporation over Kingdom of Thailand. — Taichi Tebakari, Junichi Yoshitani, and Chanchai Suvanpimol; 10(3), 205-15 (2005).
Short Duration Rainfall Frequency Analysis in Michigan Using Scale-Invariance Assumptions. — Laura A. Gerold and David W. Watkins, Jr.; 10(6), 450-7 (2005).

Hydrologic models
Case Study: Watershed Modeling with Distributed Weather Model Data. — Nicholas Kouwen, Maurice Danard, Allyson Bingeman, Wuben Luo, Frank R. Seglenieks, and Eric D. Soulis; 10(1), 23-38 (2005).
Relating Local Stage and Remote Discharge with Significant Lateral Inflow. — Tommaso Moramarco, Silvia Barbetta, Florisa Melone, and Vijay P. Singh; 10(1), 58-69 (2005).
Simulation of a Semipermanent Wetland Basin in the Cottonwood Lake Area, East-Central North Dakota. — Rosemary Carroll, Greg Pohll, John Tracy, Tom Winter, and Ronald Smith; 10(1), 70-84 (2005).
Improving Daily Reservoir Inflow Forecasts with Model Combination. — Paulin Coulibaly, Mario Haché, Vincent Fortin, and Bernard Bobée; 10(2), 91-9 (2005).
Recession Analysis of Drought Flow Using Hele Shaw Model. — Kazumasa Mizumura; 10(2), 125-32 (2005).
Upscaling of Vertical Unsaturated Flow Model under Infiltration Condition. — Sangdan Kim, M. Levent Kavvas, and Jaeyoung Yoon; 10(2), 151-9 (2005).
Distributed-Parameter Large Basin Runoff Model. II: Application. — Thomas E. Croley, II, Chansheng He, and Deborah H. Lee; 10(3), 182-91 (2005).
Distributed Hydrologic Modeling in a Partially Urbanized Agricultural Watershed Using Water and Energy Transfer Process Model. — Yangwen Jia, Tsuyoshi Kinouchi, and Junichi Yoshitani; 10(4), 253-63 (2005).
Knowledge Extraction from Trained Neural Network River Flow Models. — K. P. Sudheer; 10(4), 264-9 (2005).
Unit Response Approach for Priority Determination of Flood Source Areas. — Bahram Saghafian and Mohammad Khosroshahi; 10(4), 270-7 (2005).
Plot Erosion Model Using Gray Relational Analysis Method. — Q. Q. Liu, V. P. Singh, and H. Xiang; 10(4), 288-94 (2005).
Prediction of Extreme Events in Hydrologic Processes that Exhibit Abrupt Shifting Patterns. — Oli G. B. Sveinsson, Jose D. Salas, and Duane C. Boes; 10(4), 315-26 (2005).
Effect of Flow Proportions on HSPF Model Calibration Accuracy. — Angélica L. Gutiérrez-Magness and Richard H. McCuen; 10(5), 343-52 (2005).
Synthetic Generation of Hydrologic Time Series Based on Nonparametric Random Generation. — Tae-Woong Kim and Juan B. Valdés; 10(5), 395-404 (2005).
Modified Temperature Index Method Using Near-Surface Soil and Air Temperatures for Modeling Snowmelt in the Canadian Prairies. — Purushottam Raj Singh, Thian Yew Gan, and Adam Kenea Gobena; 10(5), 405-19 (2005).

Hydrology
Accuracy Assessment of Peak Discharge Models. — Richard H. McCuen; 10(1), 16-22 (2005).
Bank-Storage Problem and the Dupuit Approximation. — Bruce Hunt; 10(2), 118-24 (2005).
Distributed-Parameter Large Basin Runoff Model. I: Model Development. — Thomas E. Croley, II, and Chansheng He; 10(3), 173-81 (2005).
Correlations and Crossing Rates of Periodic-Stochastic Hydrologic Processes. — Jose D. Salas, Chen-hua Chung, and Antonino Cancelliere; 10(4), 278-87 (2005).
Application of Generalized Regression Neural Networks to Intermittent Flow Forecasting and Estimation. — Hikmet Kerem Cigizoglu; 10(4), 336-41 (2005).
Calibration and Validation of Soil and Water Assessment Tool on an Agricultural Watershed in Upstate New York. — Jennifer Benaman, Christine A. Shoemaker, and Douglas A. Haith; 10(5), 363-74 (2005).

India
Regional Flood Frequency Analysis Using L-Moments for North Brahmaputra Region of India. — Rakesh Kumar and Chandranath Chatterjee; 10(1), 1-7 (2005).
Periodic Transfer Function-Noise Model for Forecasting. — M. Shahjahan Mondal and Saleh A. Wasimi; 10(5), 353-62 (2005).

Infiltration
Upscaling of Vertical Unsaturated Flow Model under Infiltration Condition. — Sangdan Kim, M. Levent Kavvas, and Jaeyoung Yoon; 10(2), 151-9 (2005).
Watershed-Scale Evaluation of a System of Storm Water Detention Basins. — Clay H. Emerson, Claire Welty, and Robert G. Traver; 10(3), 237-42 (2005).

Inflow
Relating Local Stage and Remote Discharge with Significant Lateral Inflow. — Tommaso Moramarco, Silvia Barbetta, Florisa Melone, and Vijay P. Singh; 10(1), 58-69 (2005).
Improving Daily Reservoir Inflow Forecasts with Model Combination. — Paulin Coulibaly, Mario Haché, Vincent Fortin, and Bernard Bobée; 10(2), 91-9 (2005).

Integrals
Calculation of Groundwater Integral. — Bruce Hunt; 10(6), 516-8 (2005).

Interpolation
Areal Reduction Factors for Two Eastern United States Regions with High Rain-Gauge Density. — Robert J. Allen and Arthur T. DeGaetano; 10(4), 327-35 (2005).

Italy
Relating Local Stage and Remote Discharge with Significant Lateral Inflow. — Tommaso Moramarco, Silvia Barbetta, Florisa Melone, and Vijay P. Singh; 10(1), 58-69 (2005).

Kinematic wave theory
Comparison of Kinematic-Wave and Nonlinear Reservoir Routing of Urban Watershed Runoff. — Yiying Xiong and Charles S. Melching; 10(1), 39-49 (2005).

Kinematics
Analyses of Flow Mechanism Based on Master Recession Curves. — Kazumasa Mizumura; 10(6), 468-76 (2005).

Lakes
Prediction of Extreme Events in Hydrologic Processes that Exhibit Abrupt Shifting Patterns. — Oli G. B. Sveinsson, Jose D. Salas, and Duane C. Boes; 10(4), 315-26 (2005).

Leakage
Flow to Vertical and Nonvertical Wells in Leaky Aquifers. — Bruce Hunt; 10(6), 477-84 (2005).

Maryland
Effect of Flow Proportions on HSPF Model Calibration Accuracy. — Angélica L. Gutiérrez-Magness and Richard H. McCuen; 10(5), 343-52 (2005).

Mathematical models
A Dirac-δ Function Notation for Source/Sink Terms in Groundwater Flow. — Orhan Gunduz and Mustafa M. Aral; 10(5), 420-7 (2005).

Mathematics
Calculation of Groundwater Integral. — Bruce Hunt; 10(6), 516-8 (2005).

Matrix methods
Spatial Moment Analysis for Transport of Nonreactive Solutes in Fracture-Matrix System. — G. Suresh Kumar and M. Sekhar; 10(3), 192-9 (2005).

Maximum probable flood
Prediction of Extreme Events in Hydrologic Processes that Exhibit Abrupt Shifting Patterns. — Oli G. B. Sveinsson, Jose D. Salas, and Duane C. Boes; 10(4), 315-26 (2005).

Meandering streams
Geospatial Representation of River Channels. — Venkatesh M. Merwade, David R. Maidment, and Ben R. Hodges; 10(3), 243-51 (2005).

Measurement
Regional Flood Frequency Analysis Using L-Moments for North Brahmaputra Region of India. — Rakesh Kumar and Chandranath Chatterjee; 10(1), 1-7 (2005).

Meteorological data
Case Study: Watershed Modeling with Distributed Weather Model Data. — Nicholas Kouwen, Maurice Danard, Allyson Bingeman, Wuben Luo, Frank R. Seglenieks, and Eric D. Soulis; 10(1), 23-38 (2005).

Meteorology
Case Study: Watershed Modeling with Distributed Weather Model Data. — Nicholas Kouwen, Maurice Danard, Allyson Bingeman, Wuben Luo, Frank R. Seglenieks, and Eric D. Soulis; 10(1), 23-38 (2005).

Michigan
Distributed-Parameter Large Basin Runoff Model. II: Application. — Thomas E. Croley, II, Chansheng He, and Deborah H. Lee; 10(3), 182-91 (2005).
Regional Rainfall Frequency Analysis for the State of Michigan. — Christopher M. Trefry, David W. Watkins, Jr., and Dennis Johnson; 10(6), 437-49 (2005).
Short Duration Rainfall Frequency Analysis in

Michigan Using Scale-Invariance Assumptions. — Laura A. Gerold and David W. Watkins, Jr.; 10(6), 450-7 (2005).

Models

Accuracy Assessment of Peak Discharge Models. — Richard H. McCuen; 10(1), 16-22 (2005).

Comparison of Several Flood Forecasting Models in Yangtze River. — K. W. Chau, C. L. Wu, and Y. S. Li; 10(6), 485-91 (2005).

Moisture uptake

Root-Water Uptake Model at Heterogeneous Soil Fields. — Sangdan Kim, M. Levent Kavvas, and ZhiQiang Chen; 10(2), 160-7 (2005).

Neural networks

Evaluation of Neural Network Streamflow Forecasting on 47 Watersheds. — François Anctil and Alexandre Rat; 10(1), 85-8 (2005).

Artificial Neural Networks for Forecasting Watershed Runoff and Stream Flows. — Jy S. Wu, Jun Han, Shastri Annambhotla, and Scott Bryant; 10(3), 216-22 (2005).

Knowledge Extraction from Trained Neural Network River Flow Models. — K. P. Sudheer; 10(4), 264-9 (2005).

Fuzzy Neural Network Model for Hydrologic Flow Routing. — Paresh Deka and V. Chandramouli; 10(4), 302-14 (2005).

Application of Generalized Regression Neural Networks to Intermittent Flow Forecasting and Estimation. — Hikmet Kerem Cigizoglu; 10(4), 336-41 (2005).

Comparison of Several Flood Forecasting Models in Yangtze River. — K. W. Chau, C. L. Wu, and Y. S. Li; 10(6), 485-91 (2005).

New York

Calibration and Validation of Soil and Water Assessment Tool on an Agricultural Watershed in Upstate New York. — Jennifer Benaman, Christine A. Shoemaker, and Douglas A. Haith; 10(5), 363-74 (2005).

Nonlinear analysis

Nonlinear Modeling of El Nino/Southern Oscillation Index. — J. H. Ahn and H. S. Kim; 10(1), 8-15 (2005).

Nonlinear response

Unit Response Approach for Priority Determination of Flood Source Areas. — Bahram Saghafian and Mohammad Khosroshahi; 10(4), 270-7 (2005).

North Dakota

Simulation of a Semipermanent Wetland Basin in the Cottonwood Lake Area, East-Central North Dakota. — Rosemary Carroll, Greg Pohll, John Tracy, Tom Winter, and Ronald Smith; 10(1), 70-84 (2005).

Numerical models

Saturated-Unsaturated 3D Groundwater Model. I: Development. — Ahmet Dogan and Louis H. Motz; 10(6), 492-504 (2005).

Saturated-Unsaturated 3D Groundwater Model. II: Verification and Application. — Ahmet Dogan and Louis H. Motz; 10(6), 505-15 (2005).

Optimization

Effect of Flow Proportions on HSPF Model Calibration Accuracy. — Angélica L. Gutiérrez-Magness and Richard H. McCuen; 10(5), 343-52 (2005).

Remediation System Design with Multiple Uncertain Parameters Using Fuzzy Sets and Genetic Algorithm. — Jiabao Guan and Mustafa M. Aral; 10(5), 386-94 (2005).

Oscillations

Nonlinear Modeling of El Nino/Southern Oscillation Index. — J. H. Ahn and H. S. Kim; 10(1), 8-15 (2005).

Outflows

Prediction of Extreme Events in Hydrologic Processes that Exhibit Abrupt Shifting Patterns. — Oli G. B. Sveinsson, Jose D. Salas, and Duane C. Boes; 10(4), 315-26 (2005).

Overland flow

Roll Waves in Overland Flow. — Q. Q. Liu, L. Chen, J. C. Li, and Vijay P. Singh; 10(2), 110-7 (2005).

Analyses of Flow Mechanism Based on Master Recession Curves. — Kazumasa Mizumura; 10(6), 468-76 (2005).

Parameters

Distributed-Parameter Large Basin Runoff Model. I: Model Development. — Thomas E. Croley, II, and Chansheng He; 10(3), 173-81 (2005).

Distributed-Parameter Large Basin Runoff Model. II: Application. — Thomas E. Croley, II, Chansheng He, and Deborah H. Lee; 10(3), 182-91 (2005).

Peak flow

Accuracy Assessment of Peak Discharge Models. — Richard H. McCuen; 10(1), 16-22 (2005).

Pennsylvania

Watershed-Scale Evaluation of a System of Storm Water Detention Basins. — Clay H. Emerson, Claire Welty, and Robert G. Traver; 10(3), 237-42 (2005).

Performance evaluation

Evaluation of Neural Network Streamflow Forecasting on 47 Watersheds. — François Anctil and Alexandre Rat; 10(1), 85-8 (2005).

Porosity

Spatial Moment Analysis for Transport of Nonreactive Solutes in Fracture-Matrix System. — G. Suresh Kumar and M. Sekhar; 10(3), 192-9 (2005).

Potholes

Simulation of a Semipermanent Wetland Basin in the Cottonwood Lake Area, East-Central North Dakota. — Rosemary Carroll, Greg Pohll, John Tracy, Tom Winter, and Ronald Smith; 10(1), 70-84 (2005).

Precipitation

Synthetic Generation of Hydrologic Time Series Based on Nonparametric Random Generation. — Tae-Woong Kim and Juan B. Valdés; 10(5), 395-404 (2005).

Predictions

Assessment of a Probabilistic Scheme for Flood Prediction. — Faisal Hossain and Emmanouil N. Anagnostou; 10(2), 141-50 (2005).

Prediction of Extreme Events in Hydrologic Processes that Exhibit Abrupt Shifting Patterns. — Oli G. B. Sveinsson, Jose D. Salas, and Duane C. Boes; 10(4), 315-26 (2005).

Probabilistic methods

Assessment of a Probabilistic Scheme for Flood Prediction. — Faisal Hossain and Emmanouil N. Anagnostou; 10(2), 141-50 (2005).

Probability

Frequency Analysis of Flood Damage. — L. Zhang and Vijay P. Singh; 10(2), 100-9 (2005).

Probability distribution

Bivariate Statistical Approach to Check Adequacy of Dam Spillway. — C. De Michele, G. Salvadori, M. Canossi, A. Petaccia, and R. Rosso; 10(1), 50-7 (2005).

Pumps

Type Curves for Unsteady Flow to a Large-Diameter Well in Patchy Aquifers. — Mesut Çimen; 10(3), 200-4 (2005).

Extension of Hantush and Boulton Solutions. — Bruce Hunt and David Scott; 10(3), 223-36 (2005).

Rainfall

Time-Space Trend Analysis in Pan Evaporation over Kingdom of Thailand. — Taichi Tebakari, Junichi Yoshitani, and Chanchai Suvanpimol; 10(3), 205-15 (2005).

Rainfall duration

Regional Rainfall Frequency Analysis for the State of Michigan. — Christopher M. Trefry, David W. Watkins, Jr., and Dennis Johnson; 10(6), 437-49 (2005).

Short Duration Rainfall Frequency Analysis in Michigan Using Scale-Invariance Assumptions. — Laura A. Gerold and David W. Watkins, Jr.; 10(6), 450-7 (2005).

Rainfall frequency

Regional Rainfall Frequency Analysis for the State of Michigan. — Christopher M. Trefry, David W. Watkins, Jr., and Dennis Johnson; 10(6), 437-49 (2005).

Short Duration Rainfall Frequency Analysis in Michigan Using Scale-Invariance Assumptions. — Laura A. Gerold and David W. Watkins, Jr.; 10(6), 450-7 (2005).

Rainfall intensity

Areal Reduction Factors for Two Eastern United States Regions with High Rain-Gauge Density. — Robert J. Allen and Arthur T. DeGaetano; 10(4), 327-35 (2005).

Regional Rainfall Frequency Analysis for the State of Michigan. — Christopher M. Trefry, David W. Watkins, Jr., and Dennis Johnson; 10(6), 437-49 (2005).

Short Duration Rainfall Frequency Analysis in Michigan Using Scale-Invariance Assumptions. — Laura A. Gerold and David W. Watkins, Jr.; 10(6), 450-7 (2005).

Rainfall-runoff relationship

Evaluation of Neural Network Streamflow Forecasting on 47 Watersheds. — François Anctil and Alexandre Rat; 10(1), 85-8 (2005).

Comparison of Kinematic-Wave and Nonlinear Reservoir Routing of Urban Watershed Runoff. — Yiying Xiong and Charles S. Melching; 10(1), 39-49 (2005).

Random variables

Synthetic Generation of Hydrologic Time Series Based on Nonparametric Random Generation. — Tae-Woong Kim and Juan B. Valdés; 10(5), 395-404 (2005).

Rangeland

Simulation of a Semipermanent Wetland Basin in the Cottonwood Lake Area, East-Central North Dakota. — Rosemary Carroll, Greg Pohll, John Tracy, Tom Winter, and Ronald Smith; 10(1), 70-84 (2005).

Regression

Accuracy Assessment of Peak Discharge Models. — Richard H. McCuen; 10(1), 16-22 (2005).

Remedial action
Remediation System Design with Multiple Uncertain Parameters Using Fuzzy Sets and Genetic Algorithm. — Jiabao Guan and Mustafa M. Aral; 10(5), 386-94 (2005).

Reservoir systems
Incorporation of Climate Change in Water Availability Modeling. — Ralph A. Wurbs, Ranjan S. Muttiah, and Fabrice Felden; 10(5), 375-85 (2005).

Reservoirs
Improving Daily Reservoir Inflow Forecasts with Model Combination. — Paulin Coulibaly, Mario Haché, Vincent Fortin, and Bernard Bobée; 10(2), 91-9 (2005).
Hybrid Model for Derivation of Synthetic Unit Hydrograph. — P. K. Bhunya, N. C. Ghosh, S. K. Mishra, C. S. P. Ojha, and Ronny Berndtsson; 10(6), 458-67 (2005).

Response time
Factors Affecting Estimates of Average Watershed Slope. — A. Jason Hill and Vincent S. Neary; 10(2), 133-40 (2005).

Risk analysis
Frequency Analysis of Flood Damage. — L. Zhang and Vijay P. Singh; 10(2), 100-9 (2005).

River basins
Distributed-Parameter Large Basin Runoff Model. II: Application. — Thomas E. Croley, II, Chansheng He, and Deborah H. Lee; 10(3), 182-91 (2005).
Incorporation of Climate Change in Water Availability Modeling. — Ralph A. Wurbs, Ranjan S. Muttiah, and Fabrice Felden; 10(5), 375-85 (2005).

River flow
Bank-Storage Problem and the Dupuit Approximation. — Bruce Hunt; 10(2), 118-24 (2005).
Knowledge Extraction from Trained Neural Network River Flow Models. — K. P. Sudheer; 10(4), 264-9 (2005).
Fuzzy Neural Network Model for Hydrologic Flow Routing. — Paresh Deka and V. Chandramouli; 10(4), 302-14 (2005).
Application of Generalized Regression Neural Networks to Intermittent Flow Forecasting and Estimation. — Hikmet Kerem Cigizoglu; 10(4), 336-41 (2005).
Periodic Transfer Function-Noise Model for Forecasting. — M. Shahjahan Mondal and Saleh A. Wasimi; 10(5), 353-62 (2005).

Rivers
Comparison of Several Flood Forecasting Models in Yangtze River. — K. W. Chau, C. L. Wu, and Y. S. Li; 10(6), 485-91 (2005).

Routing
Fuzzy Neural Network Model for Hydrologic Flow Routing. — Paresh Deka and V. Chandramouli; 10(4), 302-14 (2005).

Runoff
Distributed-Parameter Large Basin Runoff Model. I: Model Development. — Thomas E. Croley, II, and Chansheng He; 10(3), 173-81 (2005).
Distributed-Parameter Large Basin Runoff Model. II: Application. — Thomas E. Croley, II, Chansheng He, and Deborah H. Lee; 10(3), 182-91 (2005).
Artificial Neural Networks for Forecasting Watershed Runoff and Stream Flows. — Jy S. Wu, Jun Han, Shastri Annambhotla, and Scott Bryant; 10(3), 216-22 (2005).

Runoff forecasting
Improving Daily Reservoir Inflow Forecasts with Model Combination. — Paulin Coulibaly, Mario Haché, Vincent Fortin, and Bernard Bobée; 10(2), 91-9 (2005).

Saturated soils
Saturated-Unsaturated 3D Groundwater Model. I: Development. — Ahmet Dogan and Louis H. Motz; 10(6), 492-504 (2005).
Saturated-Unsaturated 3D Groundwater Model. II: Verification and Application. — Ahmet Dogan and Louis H. Motz; 10(6), 505-15 (2005).

Seasonal variations
Periodic Transfer Function-Noise Model for Forecasting. — M. Shahjahan Mondal and Saleh A. Wasimi; 10(5), 353-62 (2005).

Sediment transport
Calibration and Validation of Soil and Water Assessment Tool on an Agricultural Watershed in Upstate New York. — Jennifer Benaman, Christine A. Shoemaker, and Douglas A. Haith; 10(5), 363-74 (2005).

Sediment yield
Calibration and Validation of Soil and Water Assessment Tool on an Agricultural Watershed in Upstate New York. — Jennifer Benaman, Christine A. Shoemaker, and Douglas A. Haith; 10(5), 363-74 (2005).

Seepage
Steady-State Water-Table Depressions Caused by Evaporation in Lands Overlying a Water-Bearing Substratum. — A. R. Kacimov and E. G. Youngs; 10(4), 295-301 (2005).

Shear flow
Plot Erosion Model Using Gray Relational Analysis Method. — Q. Q. Liu, V. P. Singh, and H. Xiang; 10(4), 288-94 (2005).

Simulation models
Calibration and Validation of Soil and Water Assessment Tool on an Agricultural Watershed in Upstate New York. — Jennifer Benaman, Christine A. Shoemaker, and Douglas A. Haith; 10(5), 363-74 (2005).

Slopes
Recession Analysis of Drought Flow Using Hele Shaw Model. — Kazumasa Mizumura; 10(2), 125-32 (2005).
Factors Affecting Estimates of Average Watershed Slope. — A. Jason Hill and Vincent S. Neary; 10(2), 133-40 (2005).

Snow depth
Modified Temperature Index Method Using Near-Surface Soil and Air Temperatures for Modeling Snowmelt in the Canadian Prairies. — Purushottam Raj Singh, Thian Yew Gan, and Adam Kenea Gobena; 10(5), 405-19 (2005).

Snowmelt
Modified Temperature Index Method Using Near-Surface Soil and Air Temperatures for Modeling Snowmelt in the Canadian Prairies. — Purushottam Raj Singh, Thian Yew Gan, and Adam Kenea Gobena; 10(5), 405-19 (2005).

Soil erosion
Roll Waves in Overland Flow. — Q. Q. Liu, L. Chen, J. C. Li, and Vijay P. Singh; 10(2), 110-7 (2005).

Soil water
Root-Water Uptake Model at Heterogeneous Soil Fields. — Sangdan Kim, M. Levent Kavvas, and ZhiQiang Chen; 10(2), 160-7 (2005).

Solar radiation
Time-Space Trend Analysis in Pan Evaporation over Kingdom of Thailand. — Taichi Tebakari, Junichi Yoshitani, and Chanchai Suvanpimol; 10(3), 205-15 (2005).

Spatial analysis
Spatial Moment Analysis for Transport of Nonreactive Solutes in Fracture-Matrix System. — G. Suresh Kumar and M. Sekhar; 10(3), 192-9 (2005).
Unit Response Approach for Priority Determination of Flood Source Areas. — Bahram Saghafian and Mohammad Khosroshahi; 10(4), 270-7 (2005).
Areal Reduction Factors for Two Eastern United States Regions with High Rain-Gauge Density. — Robert J. Allen and Arthur T. DeGaetano; 10(4), 327-35 (2005).

Spatial distribution
Distributed-Parameter Large Basin Runoff Model. I: Model Development. — Thomas E. Croley, II, and Chansheng He; 10(3), 173-81 (2005).

Spillways
Bivariate Statistical Approach to Check Adequacy of Dam Spillway. — C. De Michele, G. Salvadori, M. Canossi, A. Petaccia, and R. Rosso; 10(1), 50-7 (2005).

Statistics
Accuracy Assessment of Peak Discharge Models. — Richard H. McCuen; 10(1), 16-22 (2005).
Bivariate Statistical Approach to Check Adequacy of Dam Spillway. — C. De Michele, G. Salvadori, M. Canossi, A. Petaccia, and R. Rosso; 10(1), 50-7 (2005).

Stochastic models
Nonlinear Modeling of El Nino/Southern Oscillation Index. — J. H. Ahn and H. S. Kim; 10(1), 8-15 (2005).
Root-Water Uptake Model at Heterogeneous Soil Fields. — Sangdan Kim, M. Levent Kavvas, and ZhiQiang Chen; 10(2), 160-7 (2005).

Stochastic processes
Correlations and Crossing Rates of Periodic-Stochastic Hydrologic Processes. — Jose D. Salas, Chen-hua Chung, and Antonino Cancelliere; 10(4), 278-87 (2005).

Storm runoff
Areal Reduction Factors for Two Eastern United States Regions with High Rain-Gauge Density. — Robert J. Allen and Arthur T. DeGaetano; 10(4), 327-35 (2005).

Stormwater management
Watershed-Scale Evaluation of a System of Storm Water Detention Basins. — Clay H. Emerson, Claire Welty, and Robert G. Traver; 10(3), 237-42 (2005).

Stream channels
Geospatial Representation of River Channels. — Venkatesh M. Merwade, David R. Maidment, and Ben R. Hodges; 10(3), 243-51 (2005).

Streamflow
Relating Local Stage and Remote Discharge with Significant Lateral Inflow. — Tommaso Moramarco, Silvia Barbetta, Florisa Melone, and Vijay P. Singh; 10(1), 58-69 (2005).
Correlations and Crossing Rates of Periodic-

Stochastic Hydrologic Processes. — Jose D. Salas, Chen-hua Chung, and Antonino Cancelliere; 10(4), 278-87 (2005).
Effect of Flow Proportions on HSPF Model Calibration Accuracy. — Angélica L. Gutiérrez-Magness and Richard H. McCuen; 10(5), 343-52 (2005).
Analyses of Flow Mechanism Based on Master Recession Curves. — Kazumasa Mizumura; 10(6), 468-76 (2005).

Streamflow forecasting
Evaluation of Neural Network Streamflow Forecasting on 47 Watersheds. — François Anctil and Alexandre Rat; 10(1), 85-8 (2005).
Artificial Neural Networks for Forecasting Watershed Runoff and Stream Flows. — Jy S. Wu, Jun Han, Shastri Annambhotla, and Scott Bryant; 10(3), 216-22 (2005).
Application of Generalized Regression Neural Networks to Intermittent Flow Forecasting and Estimation. — Hikmet Kerem Cigizoglu; 10(4), 336-41 (2005).

Temperature
Synthetic Generation of Hydrologic Time Series Based on Nonparametric Random Generation. — Tae-Woong Kim and Juan B. Valdés; 10(5), 395-404 (2005).

Terrain models
Factors Affecting Estimates of Average Watershed Slope. — A. Jason Hill and Vincent S. Neary; 10(2), 133-40 (2005).

Texas
Incorporation of Climate Change in Water Availability Modeling. — Ralph A. Wurbs, Ranjan S. Muttiah, and Fabrice Felden; 10(5), 375-85 (2005).

Thailand
Time-Space Trend Analysis in Pan Evaporation over Kingdom of Thailand. — Taichi Tebakari, Junichi Yoshitani, and Chanchai Suvanpimol; 10(3), 205-15 (2005).

Three-dimensional models
Saturated-Unsaturated 3D Groundwater Model. II: Verification and Application. — Ahmet Dogan and Louis H. Motz; 10(6), 505-15 (2005).

Time series analysis
Nonlinear Modeling of El Nino/Southern Oscillation Index. — J. H. Ahn and H. S. Kim; 10(1), 8-15 (2005).
Time-Space Trend Analysis in Pan Evaporation over Kingdom of Thailand. — Taichi Tebakari, Junichi Yoshitani, and Chanchai Suvanpimol; 10(3), 205-15 (2005).
Correlations and Crossing Rates of Periodic-Stochastic Hydrologic Processes. — Jose D. Salas, Chen-hua Chung, and Antonino Cancelliere; 10(4), 278-87 (2005).
Synthetic Generation of Hydrologic Time Series Based on Nonparametric Random Generation. — Tae-Woong Kim and Juan B. Valdés; 10(5), 395-404 (2005).

Uncertainty analysis
Assessment of a Probabilistic Scheme for Flood Prediction. — Faisal Hossain and Emmanouil N. Anagnostou; 10(2), 141-50 (2005).
Remediation System Design with Multiple Uncertain Parameters Using Fuzzy Sets and Genetic Algorithm. — Jiabao Guan and Mustafa M. Aral; 10(5), 386-94 (2005).

United States
Areal Reduction Factors for Two Eastern United States Regions with High Rain-Gauge Density. — Robert J. Allen and Arthur T. DeGaetano; 10(4), 327-35 (2005).

Unsaturated flow
Saturated-Unsaturated 3D Groundwater Model. I: Development. — Ahmet Dogan and Louis H. Motz; 10(6), 492-504 (2005).
Saturated-Unsaturated 3D Groundwater Model. II: Verification and Application. — Ahmet Dogan and Louis H. Motz; 10(6), 505-15 (2005).

Unsteady flow
Upscaling of Vertical Unsaturated Flow Model under Infiltration Condition. — Sangdan Kim, M. Levent Kavvas, and Jaeyoung Yoon; 10(2), 151-9 (2005).
Type Curves for Unsteady Flow to a Large-Diameter Well in Patchy Aquifers. — Mesut Çimen; 10(3), 200-4 (2005).

Urban development
Distributed Hydrologic Modeling in a Partially Urbanized Agricultural Watershed Using Water and Energy Transfer Process Model. — Yangwen Jia, Tsuyoshi Kinouchi, and Junichi Yoshitani; 10(4), 253-63 (2005).

Urban runoff
Comparison of Kinematic-Wave and Nonlinear Reservoir Routing of Urban Watershed Runoff. — Yiying Xiong and Charles S. Melching; 10(1), 39-49 (2005).

Vadose zone
Saturated-Unsaturated 3D Groundwater Model. I: Development. — Ahmet Dogan and Louis H. Motz; 10(6), 492-504 (2005).
Saturated-Unsaturated 3D Groundwater Model. II: Verification and Application. — Ahmet Dogan and Louis H. Motz; 10(6), 505-15 (2005).

Validation
Accuracy Assessment of Peak Discharge Models. — Richard H. McCuen; 10(1), 16-22 (2005).

Velocity
Bank-Storage Problem and the Dupuit Approximation. — Bruce Hunt; 10(2), 118-24 (2005).
Spatial Moment Analysis for Transport of Nonreactive Solutes in Fracture-Matrix System. — G. Suresh Kumar and M. Sekhar; 10(3), 192-9 (2005).

Water balance
Distributed Hydrologic Modeling in a Partially Urbanized Agricultural Watershed Using Water and Energy Transfer Process Model. — Yangwen Jia, Tsuyoshi Kinouchi, and Junichi Yoshitani; 10(4), 253-63 (2005).

Water flow
Recession Analysis of Drought Flow Using Hele Shaw Model. — Kazumasa Mizumura; 10(2), 125-32 (2005).

Water storage
Bank-Storage Problem and the Dupuit Approximation. — Bruce Hunt; 10(2), 118-24 (2005).
Extension of Hantush and Boulton Solutions. — Bruce Hunt and David Scott; 10(3), 223-36 (2005).
Hybrid Model for Derivation of Synthetic Unit Hydrograph. — P. K. Bhunya, N. C. Ghosh, S. K. Mishra, C. S. P. Ojha, and Ronny Berndtsson; 10(6), 458-67 (2005).

Water supply
Calibration and Validation of Soil and Water Assessment Tool on an Agricultural Watershed in Upstate New York. — Jennifer Benaman, Christine A. Shoemaker, and Douglas A. Haith; 10(5), 363-74 (2005).
Incorporation of Climate Change in Water Availability Modeling. — Ralph A. Wurbs, Ranjan S. Muttiah, and Fabrice Felden; 10(5), 375-85 (2005).

Water table
Steady-State Water-Table Depressions Caused by Evaporation in Lands Overlying a Water-Bearing Substratum. — A. R. Kacimov and E. G. Youngs; 10(4), 295-301 (2005).
Calculation of Groundwater Integral. — Bruce Hunt; 10(6), 516-8 (2005).

Water treatment
A Dirac-δ Function Notation for Source/Sink Terms in Groundwater Flow. — Orhan Gunduz and Mustafa M. Aral; 10(5), 420-7 (2005).

Watershed management
Watershed-Scale Evaluation of a System of Storm Water Detention Basins. — Clay H. Emerson, Claire Welty, and Robert G. Traver; 10(3), 237-42 (2005).
Unit Response Approach for Priority Determination of Flood Source Areas. — Bahram Saghafian and Mohammad Khosroshahi; 10(4), 270-7 (2005).

Watersheds
Evaluation of Neural Network Streamflow Forecasting on 47 Watersheds. — François Anctil and Alexandre Rat; 10(1), 85-8 (2005).
Factors Affecting Estimates of Average Watershed Slope. — A. Jason Hill and Vincent S. Neary; 10(2), 133-40 (2005).
Distributed-Parameter Large Basin Runoff Model. I: Model Development. — Thomas E. Croley, II, and Chansheng He; 10(3), 173-81 (2005).
Artificial Neural Networks for Forecasting Watershed Runoff and Stream Flows. — Jy S. Wu, Jun Han, Shastri Annambhotla, and Scott Bryant; 10(3), 216-22 (2005).
Distributed Hydrologic Modeling in a Partially Urbanized Agricultural Watershed Using Water and Energy Transfer Process Model. — Yangwen Jia, Tsuyoshi Kinouchi, and Junichi Yoshitani; 10(4), 253-63 (2005).

Waves
Roll Waves in Overland Flow. — Q. Q. Liu, L. Chen, J. C. Li, and Vijay P. Singh; 10(2), 110-7 (2005).

Wells
Type Curves for Unsteady Flow to a Large-Diameter Well in Patchy Aquifers. — Mesut Çimen; 10(3), 200-4 (2005).
Extension of Hantush and Boulton Solutions. — Bruce Hunt and David Scott; 10(3), 223-36 (2005).
Flow to Vertical and Nonvertical Wells in Leaky Aquifers. — Bruce Hunt; 10(6), 477-84 (2005).

Wetlands
Simulation of a Semipermanent Wetland Basin in the Cottonwood Lake Area, East-Central North Dakota. — Rosemary Carroll, Greg Pohll, John Tracy, Tom Winter, and Ronald Smith; 10(1), 70-84 (2005).

Author Index

Ahn, J. H.
Nonlinear Modeling of El Nino/Southern Oscillation Index. — J. H. Ahn and H. S. Kim; 10(1), 8-15 (2005).

Allen, Robert J.
Areal Reduction Factors for Two Eastern United States Regions with High Rain-Gauge Density. — Robert J. Allen and Arthur T. DeGaetano; 10(4), 327-35 (2005).

Anagnostou, Emmanouil N.
Assessment of a Probabilistic Scheme for Flood Prediction. — Faisal Hossain and Emmanouil N. Anagnostou; 10(2), 141-50 (2005).

Anctil, François
Evaluation of Neural Network Streamflow Forecasting on 47 Watersheds. — François Anctil and Alexandre Rat; 10(1), 85-8 (T) (2005).

Annambhotla, Shastri
Artificial Neural Networks for Forecasting Watershed Runoff and Stream Flows. — Jy S. Wu, Jun Han, Shastri Annambhotla, and Scott Bryant; 10(3), 216-22 (2005).

Aral, Mustafa M.
Remediation System Design with Multiple Uncertain Parameters Using Fuzzy Sets and Genetic Algorithm. — Jiabao Guan and Mustafa M. Aral; 10(5), 386-94 (2005).
A Dirac-δ Function Notation for Source/Sink Terms in Groundwater Flow. — Orhan Gunduz and Mustafa M. Aral; 10(5), 420-7 (2005).

Barbetta, Silvia
Relating Local Stage and Remote Discharge with Significant Lateral Inflow. — Tommaso Moramarco, Silvia Barbetta, Florisa Melone, and Vijay P. Singh; 10(1), 58-69 (2005).

Barry, D. A.
Discussion of "Modeling Groundwater Flow under Transient Nonlinear Free Surface," by Sergio E. Serrano. — D. A. Barry, J.-Y. Parlange, L. Li, D.-S. Jeng, F. Stagnitti, and D. A. Lockington; 10(5), 428-9 (2005).
Discussion of "Improved Decomposition Solution to Green and Ampt Equation" by Sergio E. Serrano. — D. A. Barry, J.-Y. Parlange, L. Li, D.-S. Jeng, and D. A. Lockington; 10(5), 433-4 (2005).

Benaman, Jennifer
Calibration and Validation of Soil and Water Assessment Tool on an Agricultural Watershed in Upstate New York. — Jennifer Benaman, Christine A. Shoemaker, and Douglas A. Haith; 10(5), 363-74 (2005).

Berndtsson, Ronny
Hybrid Model for Derivation of Synthetic Unit Hydrograph. — P. K. Bhunya, N. C. Ghosh, S. K. Mishra, C. S. P. Ojha, and Ronny Berndtsson; 10(6), 458-67 (2005).
Closure to "Simplified Two-Parameter Gamma Distribution for Derivation of Synthetic Unit Hydrograph" by P. K. Bhunya, S. K. Mishra, and Ronny Berndtsson. — P. K. Bhunya, S. K. Mishra, and Ronny Berndtsson; 10(6), 521-2 (2005).

Bhunya, P. K.
Hybrid Model for Derivation of Synthetic Unit Hydrograph. — P. K. Bhunya, N. C. Ghosh, S. K. Mishra, C. S. P. Ojha, and Ronny Berndtsson; 10(6), 458-67 (2005).
Closure to "Simplified Two-Parameter Gamma Distribution for Derivation of Synthetic Unit Hydrograph" by P. K. Bhunya, S. K. Mishra, and Ronny Berndtsson. — P. K. Bhunya, S. K. Mishra, and Ronny Berndtsson; 10(6), 521-2 (2005).

Bingeman, Allyson
Case Study: Watershed Modeling with Distributed Weather Model Data. — Nicholas Kouwen, Maurice Danard, Allyson Bingeman, Wuben Luo, Frank R. Seglenieks, and Eric D. Soulis; 10(1), 23-38 (2005).

Bobée, Bernard
Improving Daily Reservoir Inflow Forecasts with Model Combination. — Paulin Coulibaly, Mario Haché, Vincent Fortin, and Bernard Bobée; 10(2), 91-9 (2005).

Boes, Duane C.
Prediction of Extreme Events in Hydrologic Processes that Exhibit Abrupt Shifting Patterns. — Oli G. B. Sveinsson, Jose D. Salas, and Duane C. Boes; 10(4), 315-26 (2005).

Brazenec, W. A.
Discussion of "Simple Snowdrift Model for Distributed Hydrological Modeling" by M. Todd Walter, Donald K. McCool, Larry G. King, Myron Molnau, and Gaylon S. Campbell. — S. R. Fassnacht and W. A. Brazenec; 10(6), 522-4 (2005).

Bryant, Scott
Artificial Neural Networks for Forecasting Watershed Runoff and Stream Flows. — Jy S. Wu, Jun Han, Shastri Annambhotla, and Scott Bryant; 10(3), 216-22 (2005).

Cancelliere, Antonino
Correlations and Crossing Rates of Periodic-Stochastic Hydrologic Processes. — Jose D. Salas, Chen-hua Chung, and Antonino Cancelliere; 10(4), 278-87 (2005).

Canossi, M.
Bivariate Statistical Approach to Check Adequacy of Dam Spillway. — C. De Michele, G. Salvadori, M. Canossi, A. Petaccia, and R. Rosso; 10(1), 50-7 (2005).

Carroll, Rosemary
Simulation of a Semipermanent Wetland Basin in the Cottonwood Lake Area, East-Central North Dakota. — Rosemary Carroll, Greg Pohll, John Tracy, Tom Winter, and Ronald Smith; 10(1), 70-84 (2005).

Chandramouli, V.
Fuzzy Neural Network Model for Hydrologic Flow Routing. — Paresh Deka and V. Chandramouli; 10(4), 302-14 (2005).

Chatterjee, Chandranath
Regional Flood Frequency Analysis Using L-Moments for North Brahmaputra Region of India. — Rakesh Kumar and Chandranath Chatterjee; 10(1), 1-7 (2005).

Chau, K. W.
Comparison of Several Flood Forecasting Models in Yangtze River. — K. W. Chau, C. L. Wu, and Y. S. Li; 10(6), 485-91 (2005).

Chen, L.
Roll Waves in Overland Flow. — Q. Q. Liu, L. Chen, J. C. Li, and Vijay P. Singh; 10(2), 110-7 (2005).

Chen, ZhiQiang
Root-Water Uptake Model at Heterogeneous Soil Fields. — Sangdan Kim, M. Levent Kavvas, and ZhiQiang Chen; 10(2), 160-7 (2005).

Chung, Chen-hua
Correlations and Crossing Rates of Periodic-Stochastic Hydrologic Processes. — Jose D. Salas, Chen-hua Chung, and Antonino Cancelliere; 10(4), 278-87 (2005).

Cigizoglu, Hikmet Kerem
Application of Generalized Regression Neural Networks to Intermittent Flow Forecasting and Estimation. — Hikmet Kerem Cigizoglu; 10(4), 336-41 (T) (2005).

Çimen, Mesut
Type Curves for Unsteady Flow to a Large-Diameter Well in Patchy Aquifers. — Mesut Çimen; 10(3), 200-4 (2005).

Coulibaly, Paulin
Improving Daily Reservoir Inflow Forecasts with Model Combination. — Paulin Coulibaly, Mario Haché, Vincent Fortin, and Bernard Bobée; 10(2), 91-9 (2005).

Croley, Thomas E., II
Distributed-Parameter Large Basin Runoff Model. I: Model Development. — Thomas E. Croley, II, and Chansheng He; 10(3), 173-81 (2005).
Distributed-Parameter Large Basin Runoff Model. II: Application. — Thomas E. Croley, II, Chansheng He, and Deborah H. Lee; 10(3), 182-91 (2005).

Danard, Maurice
Case Study: Watershed Modeling with Distributed Weather Model Data. — Nicholas Kouwen, Maurice Danard, Allyson Bingeman, Wuben Luo, Frank R. Seglenieks, and Eric D. Soulis; 10(1), 23-38 (2005).

DeGaetano, Arthur T.
Areal Reduction Factors for Two Eastern United States Regions with High Rain-Gauge Density. — Robert J. Allen and Arthur T. DeGaetano; 10(4), 327-35 (2005).

Deka, Paresh
Fuzzy Neural Network Model for Hydrologic Flow Routing. — Paresh Deka and V. Chandramouli; 10(4), 302-14 (2005).

De Michele, C.
Bivariate Statistical Approach to Check Adequacy of Dam Spillway. — C. De Michele, G. Salvadori, M. Canossi, A. Petaccia, and R. Rosso; 10(1), 50-7 (2005).

Dogan, Ahmet
Saturated-Unsaturated 3D Groundwater Model. I: Development. — Ahmet Dogan and Louis H. Motz; 10(6), 492-504 (2005).
Saturated-Unsaturated 3D Groundwater Model. II: Verification and Application. — Ahmet Dogan and Louis H. Motz; 10(6), 505-15 (2005).

Emerson, Clay H.
Watershed-Scale Evaluation of a System of Storm Water Detention Basins. — Clay H. Emerson, Claire Welty, and Robert G. Traver; 10(3), 237-42 (2005).

Fassnacht, S. R.
Discussion of "Simple Snowdrift Model for Distributed Hydrological Modeling" by M. Todd Walter, Donald K. McCool, Larry G. King, Myron Molnau, and Gaylon S. Campbell. — S. R. Fassnacht and W. A. Brazenec; 10(6), 522-4 (2005).

Felden, Fabrice
Incorporation of Climate Change in Water Availability Modeling. — Ralph A. Wurbs, Ranjan S. Muttiah, and Fabrice Felden; 10(5), 375-85 (2005).

Fortin, Vincent
Improving Daily Reservoir Inflow Forecasts with Model Combination. — Paulin Coulibaly, Mario Haché, Vincent Fortin, and Bernard Bobée; 10(2), 91-9 (2005).

Gan, Thian Yew
Modified Temperature Index Method Using Near-Surface Soil and Air Temperatures for Modeling Snowmelt in the Canadian Prairies. — Purushottam Raj Singh, Thian Yew Gan, and Adam Kenea Gobena; 10(5), 405-19 (2005).

Gérard-Marchant, Pierre
Closure to "Simple Estimation of Prevalence of Hortonian Flow in New York City Watersheds" by M. Todd Walter, Vishal K. Mehta, Alexis M. Marrone, Jan Boll, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter. — M. Todd Walter, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter; 10(2), 169-70 (2005).

Gerold, Laura A.
Short Duration Rainfall Frequency Analysis in Michigan Using Scale-Invariance Assumptions. — Laura A. Gerold and David W. Watkins, Jr.; 10(6), 450-7 (2005).

Ghosh, N. C.
Hybrid Model for Derivation of Synthetic Unit Hydrograph. — P. K. Bhunya, N. C. Ghosh, S. K. Mishra, C. S. P. Ojha, and Ronny Berndtsson; 10(6), 458-67 (2005).

Gobena, Adam Kenea
Modified Temperature Index Method Using Near-Surface Soil and Air Temperatures for Modeling Snowmelt in the Canadian Prairies. — Purushottam Raj Singh, Thian Yew Gan, and Adam Kenea Gobena; 10(5), 405-19 (2005).

Guan, Jiabao
Remediation System Design with Multiple Uncertain Parameters Using Fuzzy Sets and Genetic Algorithm. — Jiabao Guan and Mustafa M. Aral; 10(5), 386-94 (2005).

Gunduz, Orhan
A Dirac-δ Function Notation for Source/Sink Terms in Groundwater Flow. — Orhan Gunduz and Mustafa M. Aral; 10(5), 420-7 (2005).

Gutiérrez-Magness, Angélica L.
Effect of Flow Proportions on HSPF Model Calibration Accuracy. — Angélica L. Gutiérrez-Magness and Richard H. McCuen; 10(5), 343-52 (2005).

Haché, Mario
Improving Daily Reservoir Inflow Forecasts with Model Combination. — Paulin Coulibaly, Mario Haché, Vincent Fortin, and Bernard Bobée; 10(2), 91-9 (2005).

Haith, Douglas A.
Calibration and Validation of Soil and Water Assessment Tool on an Agricultural Watershed in Upstate New York. — Jennifer Benaman, Christine A. Shoemaker, and Douglas A. Haith; 10(5), 363-74 (2005).

Han, Jun
Artificial Neural Networks for Forecasting Watershed Runoff and Stream Flows. — Jy S. Wu, Jun Han, Shastri Annambhotla, and Scott Bryant; 10(3), 216-22 (2005).

He, Chansheng
Distributed-Parameter Large Basin Runoff Model. I: Model Development. — Thomas E. Croley, II, and Chansheng He; 10(3), 173-81 (2005).
Distributed-Parameter Large Basin Runoff Model. II: Application. — Thomas E. Croley, II, Chansheng He, and Deborah H. Lee; 10(3), 182-91 (2005).

Hill, A. Jason
Factors Affecting Estimates of Average Watershed Slope. — A. Jason Hill and Vincent S. Neary; 10(2), 133-40 (2005).

Hodges, Ben R.
Geospatial Representation of River Channels. — Venkatesh M. Merwade, David R. Maidment, and Ben R. Hodges; 10(3), 243-51 (2005).

Hossain, Faisal
Assessment of a Probabilistic Scheme for Flood Prediction. — Faisal Hossain and Emmanouil N. Anagnostou; 10(2), 141-50 (2005).

Hunt, Bruce
Bank-Storage Problem and the Dupuit Approximation. — Bruce Hunt; 10(2), 118-24 (2005).
Extension of Hantush and Boulton Solutions. — Bruce Hunt and David Scott; 10(3), 223-36 (2005).
Flow to Vertical and Nonvertical Wells in Leaky Aquifers. — Bruce Hunt; 10(6), 477-84 (2005).
Calculation of Groundwater Integral. — Bruce Hunt; 10(6), 516-8 (T) (2005).

Jeng, D.-S.
Discussion of "Modeling Groundwater Flow under Transient Nonlinear Free Surface," by Sergio E. Serrano. — D. A. Barry, J.-Y. Parlange, L. Li, D.-S. Jeng, F. Stagnitti, and D. A. Lockington; 10(5), 428-9 (2005).
Discussion of "Improved Decomposition Solution to Green and Ampt Equation" by Sergio E. Serrano. — D. A. Barry, J.-Y. Parlange, L. Li, D.-S. Jeng, and D. A. Lockington; 10(5), 433-4 (2005).

Jia, Yangwen
Distributed Hydrologic Modeling in a Partially Urbanized Agricultural Watershed Using Water and Energy Transfer Process Model. — Yangwen Jia, Tsuyoshi Kinouchi, and Junichi Yoshitani; 10(4), 253-63 (2005).

Johnson, Dennis
Regional Rainfall Frequency Analysis for the State of Michigan. — Christopher M. Trefry, David W. Watkins, Jr., and Dennis Johnson; 10(6), 437-49 (2005).

Kacimov, A. R.
Steady-State Water-Table Depressions Caused by Evaporation in Lands Overlying a Water-Bearing Substratum. — A. R. Kacimov and E. G. Youngs; 10(4), 295-301 (2005).

Kavvas, M. Levent
Upscaling of Vertical Unsaturated Flow Model under Infiltration Condition. — Sangdan Kim, M. Levent Kavvas, and Jaeyoung Yoon; 10(2), 151-9 (2005).
Root-Water Uptake Model at Heterogeneous Soil Fields. — Sangdan Kim, M. Levent Kavvas, and ZhiQiang Chen; 10(2), 160-7 (2005).

Khosroshahi, Mohammad
Unit Response Approach for Priority Determination of Flood Source Areas. — Bahram Saghafian and Mohammad Khosroshahi; 10(4), 270-7 (2005).

Kim, H. S.
Nonlinear Modeling of El Nino/Southern Oscillation Index. — J. H. Ahn and H. S. Kim; 10(1), 8-15 (2005).

Kim, Sangdan
Upscaling of Vertical Unsaturated Flow Model under Infiltration Condition. — Sangdan Kim, M. Levent Kavvas, and Jaeyoung Yoon; 10(2), 151-9 (2005).
Root-Water Uptake Model at Heterogeneous Soil Fields. — Sangdan Kim, M. Levent Kavvas, and ZhiQiang Chen; 10(2), 160-7 (2005).

Kim, Tae-Woong
Synthetic Generation of Hydrologic Time Series Based on Nonparametric Random Generation. — Tae-Woong Kim and Juan B. Valdés; 10(5), 395-404 (2005).

Kinouchi, Tsuyoshi
Distributed Hydrologic Modeling in a Partially Urbanized Agricultural Watershed Using Water and Energy Transfer Process Model. — Yangwen Jia, Tsuyoshi Kinouchi, and Junichi Yoshitani; 10(4), 253-63 (2005).

Kouwen, Nicholas
Case Study: Watershed Modeling with Distributed Weather Model Data. — Nicholas Kouwen, Maurice Danard, Allyson Bingeman, Wuben Luo, Frank R. Seglenieks, and Eric D. Soulis; 10(1), 23-38 (2005).

Kumar, G. Suresh
Spatial Moment Analysis for Transport of Nonreactive Solutes in Fracture-Matrix System. — G. Suresh Kumar and M. Sekhar; 10(3), 192-9 (2005).

Kumar, Rakesh
Regional Flood Frequency Analysis Using L-Moments for North Brahmaputra Region of India. — Rakesh Kumar and Chandranath Chatterjee; 10(1), 1-7 (2005).

Lee, Deborah H.
Distributed-Parameter Large Basin Runoff Model. II: Application. — Thomas E. Croley, II, Chansheng He, and Deborah H. Lee; 10(3), 182-91 (2005).

Li, J. C.
Roll Waves in Overland Flow. — Q. Q. Liu, L. Chen, J. C. Li, and Vijay P. Singh; 10(2), 110-7 (2005).

Li, L.
Discussion of "Modeling Groundwater Flow under Transient Nonlinear Free Surface," by Sergio E. Serrano. — D. A. Barry, J.-Y. Parlange, L. Li, D.-S. Jeng, F. Stagnitti, and D. A. Lockington; 10(5), 428-9 (2005).
Discussion of "Improved Decomposition Solution to Green and Ampt Equation" by Sergio E. Serrano. — D. A. Barry, J.-Y. Parlange, L. Li, D.-S. Jeng, and D. A. Lockington; 10(5), 433-4 (2005).

Li, Y. S.
Comparison of Several Flood Forecasting Models in Yangtze River. — K. W. Chau, C. L. Wu, and Y. S. Li; 10(6), 485-91 (2005).

Liu, Q. Q.
Roll Waves in Overland Flow. — Q. Q. Liu, L. Chen, J. C. Li, and Vijay P. Singh; 10(2), 110-7 (2005).
Plot Erosion Model Using Gray Relational Analysis Method. — Q. Q. Liu, V. P. Singh, and H. Xiang; 10(4), 288-94 (2005).

Lockington, D. A.
Discussion of "Modeling Groundwater Flow under Transient Nonlinear Free Surface," by Sergio E. Serrano. — D. A. Barry, J.-Y. Parlange, L. Li, D.-S. Jeng, F. Stagnitti, and D. A. Lockington; 10(5), 428-9 (2005).
Discussion of "Improved Decomposition Solution to Green and Ampt Equation" by Sergio E. Serrano. — D. A. Barry, J.-Y. Parlange, L. Li, D.-S. Jeng, and D. A. Lockington; 10(5), 433-4 (2005).

Luo, Wuben
Case Study: Watershed Modeling with Distributed Weather Model Data. — Nicholas Kouwen, Maurice Danard, Allyson Bingeman, Wuben Luo, Frank R. Seglenieks, and Eric D. Soulis; 10(1), 23-38 (2005).

Maidment, David R.
Geospatial Representation of River Channels. — Venkatesh M. Merwade, David R. Maidment, and Ben R. Hodges; 10(3), 243-51 (2005).

McCool, Donald K.
Closure to "Simple Snowdrift Model for Distributed Hydrological Modeling" by M. Todd Walter, Donald K. McCool, Larry G. King, Myron Molnau, and Gaylon S. Campbell. — M. Todd Walter and Donald K. McCool; 10(6), 524-5 (2005).

McCuen, Richard H.
Accuracy Assessment of Peak Discharge Models. — Richard H. McCuen; 10(1), 16-22 (2005).
Effect of Flow Proportions on HSPF Model Calibration Accuracy. — Angélica L. Gutiérrez-Magness and Richard H. McCuen; 10(5), 343-52 (2005).

McDonnell, Jeff
Discussion of "Simple Estimation of Prevalence of Hortonian Flow in New York City Watersheds" by M. Todd Walter, Vishal K. Mehta, Alexis M. Marrone, Jan Boll, Pierre Gerard-Marchant, Tammo S. Steenhuis, and Michael F. Walter. — Jeff McDonnell; 10(2), 168-9 (2005).

Melching, Charles S.
Comparison of Kinematic-Wave and Nonlinear Reservoir Routing of Urban Watershed Runoff. — Yiying Xiong and Charles S. Melching; 10(1), 39-49 (2005).

Melone, Florisa
Relating Local Stage and Remote Discharge with Significant Lateral Inflow. — Tommaso Moramarco, Silvia Barbetta, Florisa Melone, and Vijay P. Singh; 10(1), 58-69 (2005).

Merwade, Venkatesh M.
Geospatial Representation of River Channels. — Venkatesh M. Merwade, David R. Maidment, and Ben R. Hodges; 10(3), 243-51 (2005).

Michel, Claude
Discussion of "Sampling Adjustment Factors for Rainfall Recorded at Fixed Time Intervals" by C. Bryan Young and Bruce M. McEnroe. — Claude Michel; 10(1), 89-90 (2005).
Discussion of "Improved Decomposition Solution to Green and Ampt Equation" by Sergio E. Serrano. — Claude Michel; 10(5), 434-5 (2005).
Discussion of "Simplified Two-Parameter Gamma Distribution for Derivation of Synthetic Unit Hydrograph" by P. K. Bhunya, S. K. Mishra, and Ronny Berndtsson. — Claude Michel; 10(6), 519-20 (2005).

Mishra, S. K.
Hybrid Model for Derivation of Synthetic Unit Hydrograph. — P. K. Bhunya, N. C. Ghosh, S. K. Mishra, C. S. P. Ojha, and Ronny Berndtsson; 10(6), 458-67 (2005).
Closure to "Simplified Two-Parameter Gamma Distribution for Derivation of Synthetic Unit Hydrograph" by P. K. Bhunya, S. K. Mishra, and Ronny Berndtsson. — P. K. Bhunya, S. K. Mishra, and Ronny Berndtsson; 10(6), 521-2 (2005).

Mizumura, Kazumasa
Recession Analysis of Drought Flow Using Hele Shaw Model. — Kazumasa Mizumura; 10(2), 125-32 (2005).
Analyses of Flow Mechanism Based on Master Recession Curves. — Kazumasa Mizumura; 10(6), 468-76 (2005).

Mondal, M. Shahjahan
Periodic Transfer Function-Noise Model for Forecasting. — M. Shahjahan Mondal and Saleh A. Wasimi; 10(5), 353-62 (2005).

Moramarco, Tommaso
Relating Local Stage and Remote Discharge with Significant Lateral Inflow. — Tommaso Moramarco, Silvia Barbetta, Florisa Melone, and Vijay P. Singh; 10(1), 58-69 (2005).

Motz, Louis H.
Saturated-Unsaturated 3D Groundwater Model. I: Development. — Ahmet Dogan and Louis H. Motz; 10(6), 492-504 (2005).
Saturated-Unsaturated 3D Groundwater Model. II: Verification and Application. — Ahmet Dogan and Louis H. Motz; 10(6), 505-15 (2005).

Muttiah, Ranjan S.
Incorporation of Climate Change in Water Availability Modeling. — Ralph A. Wurbs, Ranjan S. Muttiah, and Fabrice Felden; 10(5), 375-85 (2005).

Neary, Vincent S.
Factors Affecting Estimates of Average Watershed Slope. — A. Jason Hill and Vincent S. Neary; 10(2), 133-40 (2005).

Ojha, C. S. P.
Hybrid Model for Derivation of Synthetic Unit Hydrograph. — P. K. Bhunya, N. C. Ghosh, S. K. Mishra, C. S. P. Ojha, and Ronny Berndtsson; 10(6), 458-67 (2005).

Parlange, J.-Y.
Discussion of "Modeling Groundwater Flow under Transient Nonlinear Free Surface," by Sergio E. Serrano. — D. A. Barry, J.-Y. Parlange, L. Li, D.-S. Jeng, F. Stagnitti, and D. A. Lockington; 10(5), 428-9 (2005).
Discussion of "Improved Decomposition Solution to Green and Ampt Equation" by Sergio E. Serrano. — D. A. Barry, J.-Y. Parlange, L. Li, D.-S. Jeng, and D. A. Lockington; 10(5), 433-4 (2005).

Petaccia, A.
Bivariate Statistical Approach to Check Adequacy of Dam Spillway. — C. De Michele, G. Salvadori, M. Canossi, A. Petaccia, and R. Rosso; 10(1), 50-7 (2005).

Pohll, Greg
Simulation of a Semipermanent Wetland Basin in the Cottonwood Lake Area, East-Central North Dakota. — Rosemary Carroll, Greg Pohll, John Tracy, Tom Winter, and Ronald Smith; 10(1), 70-84 (2005).

Rat, Alexandre
Evaluation of Neural Network Streamflow Forecasting on 47 Watersheds. — François Anctil and Alexandre Rat; 10(1), 85-8 (T) (2005).

Rosso, R.
Bivariate Statistical Approach to Check Adequacy of Dam Spillway. — C. De Michele, G. Salvadori, M. Canossi, A. Petaccia, and R. Rosso; 10(1), 50-7 (2005).

Saghafian, Bahram
Unit Response Approach for Priority Determination of Flood Source Areas. — Bahram Saghafian and Mohammad Khosroshahi; 10(4), 270-7 (2005).

Salas, Jose D.
Correlations and Crossing Rates of Periodic-Stochastic Hydrologic Processes. — Jose D. Salas, Chen-hua Chung, and Antonino Cancelliere; 10(4), 278-87 (2005).
Prediction of Extreme Events in Hydrologic Processes that Exhibit Abrupt Shifting Patterns. — Oli G. B. Sveinsson, Jose D. Salas, and Duane C. Boes; 10(4), 315-26 (2005).

Salvadori, G.
Bivariate Statistical Approach to Check Adequacy of Dam Spillway. — C. De Michele, G. Salvadori, M. Canossi, A. Petaccia, and R. Rosso; 10(1), 50-7 (2005).

Scott, David
Extension of Hantush and Boulton Solutions. — Bruce Hunt and David Scott; 10(3), 223-36 (2005).

Seglenieks, Frank R.
Case Study: Watershed Modeling with Distributed Weather Model Data. — Nicholas Kouwen, Maurice Danard, Allyson Bingeman, Wuben Luo, Frank R. Seglenieks, and Eric D. Soulis; 10(1), 23-38 (2005).

Sekhar, M.
Spatial Moment Analysis for Transport of Nonreactive Solutes in Fracture-Matrix System. — G. Suresh Kumar and M. Sekhar; 10(3), 192-9 (2005).

Serrano, Sergio E.
Closure to "Modeling Groundwater Flow under Transient Nonlinear Free Surface," by Sergio E. Serrano. — Sergio E. Serrano; 10(5), 429-33 (2005).
Closure to "Improved Decomposition Solution to Green and Ampt Equation" by Sergio E. Serrano. — Sergio E. Serrano; 10(5), 435-6 (2005).

Shoemaker, Christine A.
Calibration and Validation of Soil and Water Assessment Tool on an Agricultural Watershed in Upstate New York. — Jennifer Benaman, Christine A. Shoemaker, and Douglas A. Haith; 10(5), 363-74 (2005).

Singh, Purushottam Raj
Modified Temperature Index Method Using Near-Surface Soil and Air Temperatures for Modeling Snowmelt in the Canadian Prairies. — Purushottam Raj Singh, Thian Yew Gan, and Adam Kenea Gobena; 10(5), 405-19 (2005).

Singh, Sushil K.
Discussion of "Simplified Two-Parameter Gamma Distribution for Derivation of Synthetic Unit Hydrograph" by P. K. Bhunya, S. K. Mishra, and Ronny Berndtsson. — Sushil K. Singh; 10(6), 520-1 (2005).

Singh, V. P.
Plot Erosion Model Using Gray Relational Analysis Method. — Q. Q. Liu, V. P. Singh, and H. Xiang; 10(4), 288-94 (2005).

Singh, Vijay P.
Relating Local Stage and Remote Discharge with Significant Lateral Inflow. — Tommaso Moramarco, Silvia Barbetta, Florisa Melone, and Vijay P. Singh; 10(1), 58-69 (2005).
Frequency Analysis of Flood Damage. — L. Zhang and Vijay P. Singh; 10(2), 100-9 (2005).
Roll Waves in Overland Flow. — Q. Q. Liu, L. Chen, J. C. Li, and Vijay P. Singh; 10(2), 110-7 (2005).

Smith, Ronald
Simulation of a Semipermanent Wetland Basin in the Cottonwood Lake Area, East-Central North Dakota. — Rosemary Carroll, Greg Pohll, John Tracy, Tom Winter, and Ronald Smith; 10(1), 70-84 (2005).

Soulis, Eric D.
Case Study: Watershed Modeling with Distributed Weather Model Data. — Nicholas Kouwen, Maurice Danard, Allyson Bingeman, Wuben Luo, Frank R. Seglenieks, and Eric D. Soulis; 10(1), 23-38 (2005).

Stagnitti, F.
Discussion of "Modeling Groundwater Flow under Transient Nonlinear Free Surface," by Sergio E. Serrano. — D. A. Barry, J.-Y. Parlange, L. Li, D.-S. Jeng, F. Stagnitti, and D. A. Lockington; 10(5), 428-9 (2005).

Steenhuis, Tammo S.
Closure to "Simple Estimation of Prevalence of Hortonian Flow in New York City Watersheds" by M. Todd Walter, Vishal K. Mehta, Alexis M. Marrone, Jan Boll, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter. — M. Todd Walter, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter; 10(2), 169-70 (2005).

Sudheer, K. P.
Knowledge Extraction from Trained Neural Network River Flow Models. — K. P. Sudheer; 10(4), 264-9 (2005).

Suvanpimol, Chanchai
Time-Space Trend Analysis in Pan Evaporation over Kingdom of Thailand. — Taichi Tebakari, Junichi Yoshitani, and Chanchai Suvanpimol; 10(3), 205-15 (2005).

Sveinsson, Oli G. B.
Prediction of Extreme Events in Hydrologic Processes that Exhibit Abrupt Shifting Patterns. — Oli G. B. Sveinsson, Jose D. Salas, and Duane C. Boes; 10(4), 315-26 (2005).

Tebakari, Taichi
Time-Space Trend Analysis in Pan Evaporation over Kingdom of Thailand. — Taichi Tebakari, Junichi Yoshitani, and Chanchai Suvanpimol; 10(3), 205-15 (2005).

Tracy, John
Simulation of a Semipermanent Wetland Basin in the Cottonwood Lake Area, East-Central North Dakota. — Rosemary Carroll, Greg Pohll, John Tracy, Tom Winter, and Ronald Smith; 10(1), 70-84 (2005).

Traver, Robert G.
Watershed-Scale Evaluation of a System of Storm Water Detention Basins. — Clay H. Emerson, Claire Welty, and Robert G. Traver; 10(3), 237-42 (2005).

Trefry, Christopher M.
Regional Rainfall Frequency Analysis for the State of Michigan. — Christopher M. Trefry, David W. Watkins, Jr., and Dennis Johnson; 10(6), 437-49 (2005).

Valdés, Juan B.
Synthetic Generation of Hydrologic Time Series Based on Nonparametric Random Generation. — Tae-Woong Kim and Juan B. Valdés; 10(5), 395-404 (2005).

Walter, M. Todd
Closure to "Simple Estimation of Prevalence of Hortonian Flow in New York City Watersheds" by M. Todd Walter, Vishal K. Mehta, Alexis M. Marrone, Jan Boll, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter. — M. Todd Walter, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter; 10(2), 169-70 (2005).
Closure to "Simple Snowdrift Model for Distributed Hydrological Modeling" by M. Todd Walter, Donald K. McCool, Larry G. King, Myron Molnau, and Gaylon S. Campbell. — M. Todd Walter and Donald K. McCool; 10(6), 524-5 (2005).

Walter, Michael F.
Closure to "Simple Estimation of Prevalence of Hortonian Flow in New York City Watersheds" by M. Todd Walter, Vishal K. Mehta, Alexis M. Marrone, Jan Boll, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter. — M. Todd Walter, Pierre Gérard-Marchant, Tammo S. Steenhuis, and Michael F. Walter; 10(2), 169-70 (2005).

Wasimi, Saleh A.
Periodic Transfer Function-Noise Model for Forecasting. — M. Shahjahan Mondal and Saleh A. Wasimi; 10(5), 353-62 (2005).

Watkins, David W., Jr.
Regional Rainfall Frequency Analysis for the State of Michigan. — Christopher M. Trefry, David W. Watkins, Jr., and Dennis Johnson; 10(6), 437-49 (2005).
Short Duration Rainfall Frequency Analysis in Michigan Using Scale-Invariance Assumptions. — Laura A. Gerold and David W. Watkins, Jr.; 10(6), 450-7 (2005).

Welty, Claire
Watershed-Scale Evaluation of a System of Storm Water Detention Basins. — Clay H. Emerson, Claire Welty, and Robert G. Traver; 10(3), 237-42 (2005).

Winter, Tom
Simulation of a Semipermanent Wetland Basin in the Cottonwood Lake Area, East-Central North Dakota. — Rosemary Carroll, Greg Pohll, John Tracy, Tom Winter, and Ronald Smith; 10(1), 70-84 (2005).

Wu, C. L.
Comparison of Several Flood Forecasting Models in Yangtze River. — K. W. Chau, C. L. Wu, and Y. S. Li; 10(6), 485-91 (2005).

Wu, Jy S.
Artificial Neural Networks for Forecasting Watershed Runoff and Stream Flows. — Jy S. Wu, Jun Han, Shastri Annambhotla, and Scott Bryant; 10(3), 216-22 (2005).

Wurbs, Ralph A.
Incorporation of Climate Change in Water Availability Modeling. — Ralph A. Wurbs, Ranjan S. Muttiah, and Fabrice Felden; 10(5), 375-85 (2005).

Xiang, H.
Plot Erosion Model Using Gray Relational Analysis Method. — Q. Q. Liu, V. P. Singh, and H. Xiang; 10(4), 288-94 (2005).

Xiong, Yiying
Comparison of Kinematic-Wave and Nonlinear Reservoir Routing of Urban Watershed Runoff. — Yiying Xiong and Charles S. Melching; 10(1), 39-49 (2005).

Yoon, Jaeyoung
Upscaling of Vertical Unsaturated Flow Model under Infiltration Condition. — Sangdan Kim, M. Levent Kavvas, and Jaeyoung Yoon; 10(2), 151-9 (2005).

Yoshitani, Junichi
Time-Space Trend Analysis in Pan Evaporation over Kingdom of Thailand. — Taichi Tebakari, Junichi Yoshitani, and Chanchai Suvanpimol; 10(3), 205-15 (2005).
Distributed Hydrologic Modeling in a Partially Urbanized Agricultural Watershed Using Water and Energy Transfer Process Model. — Yangwen Jia, Tsuyoshi Kinouchi, and Junichi Yoshitani; 10(4), 253-63 (2005).

Youngs, E. G.
Steady-State Water-Table Depressions Caused by Evaporation in Lands Overlying a Water-Bearing Substratum. — A. R. Kacimov and E. G. Youngs; 10(4), 295-301 (2005).

Zhang, L.
Frequency Analysis of Flood Damage. — L. Zhang and Vijay P. Singh; 10(2), 100-9 (2005).